

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|---|------------------------------------|------------------|---------|------------------|
| L1 | 1315602 | (method or process or mak\$3 or manufactur\$3) with (conductive near3 film or layer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:25 |
| L2 | 14015 | 1 and (appl\$3 with (liquid or aqueous) with (composition or film or layer or mixt\$3) with (base or substrate or base)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:32 |
| L3 | 7257 | 2 and (drying or curing) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:33 |
| L4 | 94047 | (method or process or mak\$3 or manufactur\$3) with (conductive near3 film or layer) with laminat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:25 |
| L5 | 6765 | (method or process or mak\$3 or manufactur\$3) with (conductive near3 (film or layer)) with laminat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:32 |
| L6 | 146 | 5 and (appl\$3 with (liquid or aqueous) with (composition or film or layer or mixt\$3) with (base or substrate or base)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:33 |
| L7 | 77 | 6 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:33 |
| L8 | 15 | 7 and (capacitor) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:27 |
| L9 | 91039 | (method or process or mak\$3 or manufactur\$3) near2 laminat\$3 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:32 |
| L10 | 1322 | 9 and (appl\$3 with (liquid or aqueous) with (composition or film or layer or mixt\$3) with (base or substrate or base)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:32 |
| L11 | 1322 | 10 and (appl\$3 with (liquid or aqueous) with (composition or film or layer or mixt\$3) with (base or substrate or base)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:33 |

EAST Search History

| | | | | | | |
|-----|-----|---------------------------|---|-----|----|------------------|
| L12 | 986 | 11 and (drying or curing) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:33 |
| L13 | 463 | 12 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:33 |

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|--------|--|------------------------------------|------------------|---------|------------------|
| S11 | 231919 | ((lamine or laminated) near3 layers) or (multilayer or multilayers or multi-layer or (multi adj layer)) same ((electron near device) or capacitor or collector or resistor or insulator) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 15:58 |
| S12 | 231919 | ((lamine or laminated) near3 layer) or (multilayer or multilayers or multi-layer or (multi adj layer)) same ((electron near device) or capacitor or collector or resistor or insulator) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 16:13 |
| S13 | 2126 | S12 and (layer same (resin or polymer or epoxy or thermoplastic or thermoset\$4) same (carbon near2 (fiber or fibrous or nanotube or CNT or CNTs))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 16:00 |
| S14 | 51 | S13 and (layer same (volume near (resistivity or resistance))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 16:01 |
| S15 | 33 | S14 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:26 |
| S17 | 10691 | (capacitor or collector or resistor or insulator) same ((double or multilayer or multi-layer or multiple) near3 (conductive or electric)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 16:17 |
| S18 | 9644 | (capacitor or collector or resistor or insulator) with ((double or multilayer or multi-layer or multiple) near3 (conductive or electric)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 16:17 |
| S19 | 2533 | (capacitor or collector) with (compris\$3 or consist\$3 or contain\$3) with ((double or multilayer or multi-layer or multiple) near3 (conductive or electric)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 16:18 |
| S20 | 2343 | (capacitor or collector) with (compris\$3 or consist\$3 or contain\$3) with ((double or multilayer or multi-layer or multiple) near (conductive or electric)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 17:56 |
| S21 | 228 | S20 and (resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) and (carbon near (fiber or fibrous)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 16:24 |

EAST Search History

| | | | | | | |
|-----|-------|---|------------------------------------|-----|----|------------------|
| S22 | 111 | S20 and ((resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) same (carbon near (fiber or fibrous))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 16:25 |
| S23 | 2315 | S20 and ((resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) same (carbon near (fiber or fibrous)) or layer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 16:25 |
| S24 | 53 | S20 and ((resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) same (carbon near (fiber or fibrous)) same layer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 16:47 |
| S25 | 31 | S24 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 17:57 |
| S26 | 9 | ("3656027" "5115378" "5381303" "5682288" "5953204" "6064561").PN. OR ("6671165").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2007/11/07 16:38 |
| S28 | 1 | S26 and ((resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) and (carbon near (fiber or fibrous)) same layer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 17:54 |
| S29 | 10110 | ((resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) same (carbon near (fiber or fibrous)) same layer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:00 |
| S30 | 1508 | S29 and (laminate with layer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:00 |
| S31 | 16 | S30 and ((capacitor or collector) with (compris\$3 or consist\$3 or contain\$3) with ((double or multilayer or multi-layer or multiple or double-layer) near (conductive or electric))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:16 |
| S32 | 8 | S31 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:01 |
| S33 | 3979 | (laminate with (conductive near layer)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:00 |

EAST Search History

| | | | | | | |
|-----|------|---|------------------------------------|-----|----|------------------|
| S34 | 26 | S33 and ((resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) with (carbon near (fiber or fibrous)) with layer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:00 |
| S35 | 15 | S34 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:15 |
| S36 | 4091 | (film or layer) with (resin or epoxy or polymer or thermoplastic or thermoset\$3) with (carbon or nanotube or graphite or (carbon near (fiber or fibrous or fibre))) same (laminate or laminated) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:13 |
| S37 | 5206 | (substrate) with (resin or epoxy or polymer or thermoplastic or thermoset\$3) with (carbon or nanotube or graphite or metal) same (laminate or laminated) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:14 |
| S38 | 405 | S36 and S37 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:15 |
| S39 | 387 | S38 and ((laminated or laminate) with (layer or film)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:15 |
| S40 | 265 | S39 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:15 |
| S42 | 4 | S40 and ((capacitor or collector) with (compris\$3 or consist\$3 or contain\$3) with ((double or multilayer or multi-layer or multiple or double-layer))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/07 18:17 |
| S43 | 9720 | low near (resistance or resistivity) near (film or layer or double-layer or multi-layer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:00 |
| S44 | 217 | S43 and ((film or layer or double-layer or multi-layer) same (resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) same ((carbon near (fiber or fibrous or black or nanotube or nanofiber)) or graphite or nanotube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:33 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|-----|-----|------------------|
| S45 | 13 | S44 and ((volume near (resistance or resistivity)) with ((ohm-cm) or (ohm near cm))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:25 |
| S46 | 88 | (conductive near (substrate or base or support or layer or film)) with (laminate or laminated) with (low near (resistance or resistivity) near (layer or film)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:27 |
| S49 | 2 | S46 and ((film or layer or double-layer or multi-layer) same (resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) same ((carbon near (fiber or fibrous or black or nanotube or nanofiber)) or graphite or nanotube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:18 |
| S50 | 2 | S46 and ((film or layer or double-layer or multi-layer) same (resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) same ((carbon near (fiber or fibrous or black or nanotube or nanofiber)) or graphite or nanotube or CNT or CNTs)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:28 |
| S51 | 554 | (361/272).CCLS. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | OFF | 2007/11/08 08:24 |
| S54 | 1 | S51 and ((conductive near (substrate or base or support or layer or film)) with (laminate or laminated) with (low near (resistance or resistivity) near (layer or film))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:26 |
| S55 | 239 | (conductive near2 (substrate or base or support or layer or film)) with (laminate or laminated) with (low near2 (resistance or resistivity) near2 (layer or film)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:27 |
| S56 | 1 | S51 and S55 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:27 |

EAST Search History

| | | | | | | |
|-----|-------|---|------------------------------------|-----|----|------------------|
| S57 | 2 | S51 and ((film or layer or double-layer or multi-layer) same (resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) same ((carbon near (fiber or fibrous or black or nanotube or nanofiber)) or graphite or nanotube or CNT or CNTs)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:32 |
| S59 | 44 | ((resin or polymer or epoxy or thermoplastic or thermosetting) with layer with (laminated or laminate)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:36 |
| S60 | 3 | S59 and ((film or layer or double-layer or multi-layer) same (resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) same ((carbon near (fiber or fibrous or black or nanotube or nanofiber)) or graphite or nanotube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:38 |
| S61 | 27223 | ((resin or polymer or epoxy or thermoplastic or thermosetting) adj layer with (laminated or laminate)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:37 |
| S62 | 27223 | ((resin or polymer or epoxy or thermoplastic or thermosetting) adj layer) with (laminated or laminate) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:37 |
| S63 | 124 | ((conductive near2 (resin or polymer or epoxy or thermoplastic or thermosetting) adj layer) with (laminated or laminate) with (base or support or substrate)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:38 |
| S64 | 17 | S63 and ((resin or polymer or epoxy or thermoset\$4 or thermoplastic or thermoset) same ((carbon near (fiber or fibrous or black or nanotube or nanofiber)) or graphite or nanotube or grpahite or CNTs or CNT)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 08:39 |
| S65 | 45700 | ((base or substrate or support) same (resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) same (graphite or (metal near (oxide or carbide or nitride or filler or particle or powder)) or (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:01 |

EAST Search History

| | | | | | | |
|-----|-------|---|------------------------------------|-----|----|------------------|
| S66 | 45872 | ((base or substrate or support or (under near (coat or layer))) same (resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) same (graphite or (metal near (oxide or carbide or nitride or filler or particle or powder)) or (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:13 |
| S67 | 72954 | ((low near (resistance or resistive or resistivity) near (layer or film or coat\$3)) or ((top or outermost or outmost) near (coat or layer)) or (film or coat\$3 or layer)) same (resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) same (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:07 |
| S68 | 14998 | S66 and S67 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:07 |
| S69 | 33651 | ((low near (resistance or resistive or resistivity) near (layer or film or coat\$3)) or ((top or outermost or outmost) near (coat or layer)) same (resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) same (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:07 |
| S70 | 2369 | S66 and S69 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:07 |
| S71 | 33255 | ((low near (resistance or resistive or resistivity) near (layer or film or coat\$3)) or ((top or outermost or outmost) near (coat or layer)) with (resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) with (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:28 |

EAST Search History

| | | | | | | |
|-----|-------|--|------------------------------------|-----|----|------------------|
| S72 | 18455 | ((base or substrate or support or (under near (coat or layer))) with (resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) with (graphite or (metal near (oxide or carbide or nitride or filler or particle or powder)) or (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:09 |
| S73 | 912 | S71 and S72 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:09 |
| S74 | 1760 | ((base or substrate or support or (under near (coat or layer))) with ((low near (resistance or resistive or resistivity) near (layer or film or coat\$3)) or ((top or outermost or outmost) near (coat or layer))) with (laminated or Iminate)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:17 |
| S75 | 6 | S73 and S74 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:10 |
| S76 | 44552 | ((base or substrate or support or (under near (coat or layer))) with ((low near (resistance or resistive or resistivity) near (layer or film or coat\$3)) or ((top or outermost or outmost) near (coat or layer)))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:17 |
| S77 | 187 | S76 and (conductive near3 resin near (film or layer)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:20 |
| S78 | 1 | S51 and S77 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:20 |
| S79 | 2 | S77 and (collector and capacitor) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:21 |
| S80 | 22 | S77 and (double near layer) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:24 |

EAST Search History

| | | | | | | |
|-----|------|---|---|-----|----|------------------|
| S81 | 12 | S80 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:32 |
| S82 | 7878 | (conductive or electric) near (double near layer) with capacitor | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:24 |
| S83 | 4987 | ((conductive or electric) near (double near layer) with capacitor). ti. or ((conductive or electric) near (double near layer) with capacitor). ab. | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:25 |
| S84 | 2 | S73 and S83 | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:25 |
| S85 | 57 | S83 and (((low near (resistance or resistive or resistivity) near (layer or film or coat\$3)) or ((top or outermost or outmost) near (coat or layer))) with (resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) with (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 09:28 |
| S86 | 5 | S85 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:14 |
| S87 | 3 | S83 and (resin near2 layer near2 (laminate or laminated)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:11 |
| S88 | 2954 | (electromagnetic near wave near (shield or shielding)) with (sheet or layers) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:12 |
| S89 | 905 | S88 and (laminate or laminated) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:12 |
| S90 | 764 | S88 and ((laminate or laminated) with (layer or film)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:36 |

EAST Search History

| | | | | | | |
|-----|-----|---|------------------------------------|-----|----|------------------|
| S92 | 56 | S90 and ((base or substrate or support or (under near (coat or layer))) same (resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) same (graphite or (metal near (oxide or carbide or nitride or filler or particle or powder)) or (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:21 |
| S93 | 32 | S92 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:23 |
| S94 | 151 | S90 and ((base or substrate or support or coat or film or layer) same (resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) same (graphite or (metal near (oxide or carbide or nitride or filler or particle or powder)) or (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:23 |
| S95 | 18 | S90 and (((base or substrate or support) and (coat or film or layer)) with (resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) with (graphite or (metal near (oxide or carbide or nitride or filler or particle or powder)) or (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:38 |
| S96 | 8 | S95 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:31 |
| S97 | 151 | ((layer or film or coating) with resin with ((carbon near (fiber or nanotube)) or CNT or CNTs or nanofiber)) and ((layer or film or coating) same (low near (resistance or resistive or resistivity))) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:31 |
| S98 | 33 | S97 and ((conductive or electric) with (base or substrate or support) with resin) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:31 |

EAST Search History

| | | | | | | |
|------|-------|--|---|-----|----|------------------|
| S99 | 19 | S98 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 11:16 |
| S100 | 775 | (conductive near3 ((multi or double) near layer)) and ((laminate or laminated) with (layer or film)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:37 |
| S101 | 30 | (conductive near3 ((multi or double) near layer)) and ((laminate or laminated) with directly with (layer or film)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:38 |
| S102 | 11 | S101 and ((resin or polymer or epoxy or thermosetting or thermoplastic or PVDF or THV or VDF-HFP or TFE-P or polyolefin or PO) same (graphite or (metal near (oxide or carbide or nitride or filler or particle or powder)) or (carbon near (black or fiber or nanotube)) or CNTs or CNT or nanotube)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 10:39 |
| S103 | 19 | ("4301040" "4307144").PN. OR ("4363071").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2007/11/08 10:50 |
| S104 | 31 | ("3572499" "4363071" "4554210" "4590741").PN. OR ("5110669").URPN. | US-PGPUB; USPAT; USOCR | AND | ON | 2007/11/08 11:04 |
| S105 | 10038 | (conductive with layer with resin with (carbon or metal or oxide or carbide or nitride)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 11:13 |
| S106 | 93 | (conductive with (layer or sheet) with resin with (carbon or metal or oxide or carbide or nitride)) and ((film or (coat\$3 near3 (top or outermost))) with resin with ((carbon with fiber) or nanotube or CNTs or cnt)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 11:15 |
| S107 | 59 | S106 @ad <= "20020624" | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 11:16 |
| S108 | 28 | S107 and ((laminate or laminated with layer)) | US-PGPUB; USPAT; EPO; JPO; DERWENT | AND | ON | 2007/11/08 15:07 |